

O Z O N E

Ozone

66 rue Notre Dame de Nazareth
75003 Paris

TECHNICAL DATA : Marienbad L


(please see conditions below)

Done on-line on March 27 2017






O Z O N E : Marienbad L

DESCRIPTION : Floor reading lamp. Aluminium and brass structure articulated, finishes are mirror nickel or gun metal.
Warm white LED lighting, 6,4W, 470Lumens, 50°.
Integrated transformer.
Weight: 5kg.
Size: 125x42x23cm.
Compliance: CE Class I.




FUNCTION : The articulated design of the lamp makes it possible to place the light in the desired position on the caouch. Light is projected forward at an angle of 50°. Sources are equipped with honeycomb to prevent dazzling. The light output is 470Lumens equivalent to a 50W halogen spotlight . Light is produced by OSRAM brand LEDs 2700°K, with a CRI>80 and a yield of 90lm / W. Energy performance: A + .





ELECTRICAL CONNECTION : Power is provided by a power cable and network 230VAC plug with earth. Its length is 2m. The lighting consumes 6,4W.


IMPORTANT: Plug CE or UL or UK or CH



PACKAGING : The lamp is protected by a cardboard, wood and polyurethane foam packaging.
Weight light included: 14kg.

O Z O N E : Marienbad L

Dimensions: 175x55x20cm.



MAINTENANCE : The cleaning is done with a white soft damp cloth. For some traces locally you can use a soft cloth with glass cleaner . Be careful not to touch the LED to avoid damaging them.

