

O Z O N E

Ozone

66 rue Notre Dame de Nazareth
75003 Paris

TECHNICAL DATA : Parisienne R

(please see conditions below)

Done on-line on March 27 2017




DESCRIPTION : Suspension lamp in Aluminium and brass structure. Finishes are pale gold. The shade is in glass, partially sandblasted. LED lighting, 13W, 600Lumens.

Converter 350mA outside the lamp, to be placed in a distant box, not included.

Weight: 7kg.

Size: 25x25x41cm + Height of the hanging structure.


Compliance: CE Class III.



FUNCTION : The lighting provides a diffusing light through the glass shade, softening the shadows.

The light output is 600 Lumens equivalent to a 60W incandescent bulb. The light intensity can be dimmed from 0 to 100%.

A gold light is produced by CITIZEN brand LED 2700°K, with a CRI>95 and a yield of 100lm/W. Energy efficiency: A+.






ELECTRICAL CONNECTION : Before connecting the fixture to the grid make sure it is not powered. Use the connector provided on the lighting. The lighting consumes 13W, is supplied without 350mA power supply and is designed to receive a remote power supply 350mA. We recommend the use of power supplies ELDOLED SOLOdrive 361/A witch allows optimal 0-10V and 0 to 100% dimming. It must be placed in an accessible and ventilated place.

IMPORTANT:


Remote power supply 350mA.
2 wires for power supply.
0-10V or DALI dimming.
Height of the hanging structure.


CABLE SIZE / MAX DISTANCE (D)				
0,5 mm ² / 20 AWG	0,75 mm ² / 18 AWG	1,0 mm ² / 17 AWG	1,5 mm ² / 15 AWG	2,5 mm ² / 13 AWG
40 m / 130 ft	60 m / 200 ft	80 m / 260 ft	120 m / 400 ft	200 m / 660 ft








MECHANICAL FASTENING : Make sure that the ceiling is straight. The fixing of the plate is realized with screws, see map. Use the appropriate method according to the materials on which it will bind. Lamp Weight: 7kg. Drill avoiding electrical cables.






MOUNTING : Mount the glass diffusing shade to the main structure following the attached plan.







O Z O N E : Parisienne R



PACKAGING : The lamp is protected by two cardboard, wood and polyurethane foam packagings.
Weight light included: 5+7kg.
Dimensions: 50x40x40cm + 110x30x30cm.





MAINTENANCE : The base cleaning is done with a white soft damp cloth. For some traces locally you can use a soft cloth with glass cleaner. The glass diffuser cleaning is carried out with a dry cloth. For some traces can be used locally with a soft damp cloth carefully.