





ZOOM with its rotating zoom optic [patent pending] enabling an infinitely adjustable beam from 12 to 46 degrees.

The unique hybrid optical technology enables an adjustable beam which allows the creation of countless light effects with extreme simplicity: all you need is to turn the outer ring with your hand until you get the desired light effect.

ZOOM is suitable for a wide range of applications, including retail, showrooms, museums, and theatres.

ZOOM con la sua ottica rotante [patent pending] consente un raggio regolabile all'infinito da 12 a 46 gradi.

L'esclusiva tecnologia ottica ibrida consente un fascio regolabile che permette di creare innumerevoli effetti di luce con estrema semplicità: basta ruotare l'anello esterno con la mano per ottenere l'effetto di luce desiderato.

ZOOM è adatto per un'ampia gamma di applicazioni, inclusi negozi, showroom, musei e teatri.



Adjustable light source
Sorgente orientabile

1x 13W - 230V

2700K CRI 97 - 831 / 1010 lm

53320 White Bianco
53520 Black Nero

3000K CRI 97 - 878 / 1068 lm

53321 White Bianco
53521 Black Nero


Power-supply included
Dimmable cut phase

Alimentatore incluso
Dimmerabile taglio di fase


Adjustable optic 12° - 46°
Ottica regolabile 12° - 46°

ZOOM with its rotating zoom optic [patent pending] allows endless beams from 12 to 46 degrees. Different shade LEDs [2700K, 3000K]. CRI 97. Photometric measure LETROH.com

ZOOM con la sua ottica zoom rotante [patent pending] consente infinite regolazioni del fascio luminoso da 12 a 46 gradi. LED di differenti tonalità [2700K, 3000K]. CRI 97. Curve fotometriche LETROH.com



ADJUSTABLE 12° - 46°



[IP20] CE Kg 0.44

LETROH Srl
Via Cadorna 15
20073 Opera [Milano] Italia
contact@letroh.com
letroh.com

